



Scoliosis

Definition

A lateral curvature of the spine. Scoliosis affects boys and girls between the ages of 8 and 18. It is more common with girls. There are several causes of scoliosis, the two most common are congenital and habitual. Congenital scoliosis occurs when someone is born with a lateral curvature of the spine. Habitual causes are environmental or situational depending on the habits of the individual. Carrying backpacks improperly can contribute to a spinal distortion. Poor sitting habits and practicing poor posture can also affect spinal development in children. Signs of scoliosis are a high hip (uneven hips), a high shoulder, the head being off center, head tilt, back and leg pain.

SYMPTOMS:

- ◆ **THE SPINE CURVING ABNORMALLY TO THE SIDE (LATERALLY)**
- ◆ **SHOULDERS AND/OR HIPS APPEARING UNEVEN**
- ◆ **BACKACHE**
- ◆ **LOW BACK PAIN**
- ◆ **FATIGUE**
- ◆ **STOOPED POSTURE**

TREATMENT

Chiropractic care works on correcting scoliosis and relieving symptoms and complications associated with scoliosis. To see if chiropractic may be able to help you call (253) 638-2424 today for a complimentary consultation.



Dr. Jay S. Pearson
253-638-2424

Pearson Chiropractic & Rehabilitation Center • Dr. Jay S. Pearson
253.638.2424
13003 SE Kent Kangley RD • Kent, WA 98042
www.pearsonchiropractic.com